

Drive tires sorted by Rolling Circumference

Seat	Description	MSPN	Rolling Circumference		RCI
			mm	inches	
15	210/70 R15 117A8/117B IND TL BIBSTEEL ALL TERRAIN	20011	2033	80.0	
16.5	265/70 R16.5 128A5 TL BIBSTEEL ALL TERRAIN	50040	2300	90.6	
16.5	260/70 R16.5 129A8/129B IND TL BIBSTEEL HARD SURFACE	38281	2307	90.8	
16.5	265/70 R16.5 128A5 TL BIBSTEEL HARD SURFACE	64069	2312	91.0	
16	320/65 R16 107A8/104B TL XM108	46787	2458	96.8	
16.5	300/70 R16.5 137A8/137B IND TL BIBSTEEL HARD SURFACE	84590	2477	97.5	
16.5	300/70 R16.5 137A8/137B IND TL BIBSTEEL ALL TERRAIN	34034	2481	97.7	
16.5	305/70 R16.5 141A5 TL BIBSTEEL HARD SURFACE	64383	2483	97.8	
16.5	305/70 R16.5 141A5 TL BIBSTEEL ALL TERRAIN	25484	2487	97.9	
18	280/80 -18 132A8 IND TL POWER CL	38882	2691	105.9	
18	280/80 R18 132A8/132B IND TL XMCL	25391	2708	106.6	
18	340/65 R18 113A8/110B TL XM108	79647	2719	107.0	32
17.5	360/70 R17.5 148A8/148B IND TL BIBSTEEL ALL TERRAIN	17395	2823	111.1	33
20	280/80 -20 133A8 IND TL POWER CL	28486	2828	111.3	
20	280/80 R20 133A8/133B IND TL XMCL	32621	2860	112.6	
18	340/80 R18 143A8/143B IND TL BIBLOAD HARD SURFACE	66605	2946	116.0	
18	340/80 R18 143A8/143B IND TL XMCL	24643	2959	116.5	
18	400/70 R18 147A8/147B IND TL BIBLOAD HARD SURFACE	9464	2983	117.4	
18	340/80 -18 143A8 IND TL POWER CL	4967	2988	117.6	
18	335/80 R18 151A2/139B TL XZSL	44533	3020	118.9	
24	9.5 R24 107A8/104B TL AGRIBIB	57821	3097	121.9	35
20	340/80 R20 144A8/144B IND TL BIBLOAD HARD SURFACE	23767	3100	122.0	
20	340/80 -20 144A8 IND TL POWER CL	56730	3112	122.5	
20	340/80 R20 144A8/144B IND TL XMCL	733	3119	122.8	
20	400/70 -20 149A8 IND TL POWER CL	18007	3167	124.7	
20	400/70 R20 149A8/149B IND TL BIBLOAD HARD SURFACE	18143	3174	125.0	
20	400/70 R20 149A8/149B IND TL XMCL	2871	3177	125.1	
20	380/75 R20 148A8/148B IND TL XMCL	3424	3180	125.2	
20	405/70 R20 136G TL XM47	43043	3194	125.7	
20	335/80 R20 153A2/141B TL XZSL	65249	3235	127.4	
20	375/75 R20 155A2/143B TL XZSL	57791	3241	127.6	
24	11.2 R24 114A8/111B TL AGRIBIB	70146	3292	129.6	36
20	405/70 R20 155A2/143B TL XZSL	94628	3314	130.5	
19.5	18 R 19.5" TL XF	5876	3331	131.1	
19.5	445/70 R19.5 173A8/180A2 TL XF	81617	3331	131.1	
20	420/75 R20 154A8/154B IND TL XMCL	19152	3378	133.0	
20	425/75 R20 148G TL XM47	75328	3398	133.8	
24	360/70 R24 122D TL OMNIBIB	45416	3418	134.6	37
24	12.4 R24 119A8/116B TL AGRIBIB	78449	3420	134.6	37
24	420/65 R24 126A8/126B TL XM108	77842	3425	134.8	
20	425/75 R20 167A2/155B TL XZSL	64875	3439	135.4	
24	400/70 R24 152A8/152B IND TL XMCL	92225	3485	137.2	37
24	400/70 -24 158A8 IND TL POWER CL	60752	3497	137.7	37
24	440/65 R24 128D TL MULTIBIB	4039	3519	138.5	
24	380/70 R24 125D TL OMNIBIB	64778	3520	138.6	38
24	13.6 R24 121A8/118B TL AGRIBIB	97644	3559	140.1	38
22.5	445/70 R22.5 175A8/182A2 TL XF	33819	3582	141.0	
24	480/65 R24 133D TL MULTIBIB	3176	3667	144.4	38
24	460/70 -24 159A8 IND TL POWER CL	86617	3687	145.2	
24	460/70 R24 159A8/159B IND TL BIBLOAD HARD SURFACE	27534	3688	145.2	
24	445/70 R24 151G TL XM47	45627	3689	145.2	
24	420/70 R24 130D TL OMNIBIB	28067	3702	145.7	39
24	460/70 R24 159A8/159B IND TL XMCL	70333	3709	146.0	
24	14.9 R24 126A8/123B TL AGRIBIB	75971	3733	147.0	39
24	400/80 -24 162A8 IND TL POWER CL	53837	3743	147.4	
28	12.4 R28 121A8/118B TL AGRIBIB	50465	3764	148.2	
28	VF 480/60 R28 134D TL XEOBIB	80140	3831	150.8	39
28	440/65 R28 131D TL MULTIBIB	96372	3833	150.9	39

Seat	Description	MSPN	Rolling Circumference		RCI
			mm	inches	
28	380/70 R28 127D TL OMNIBIB	24723	3842	151.3	39
24	500/70 R24 164A8/164B IND TL XMCL	89582	3866	152.2	
24	540/65 R24 140D TL MULTIBIB	8801	3873	152.5	
24	500/70 R24 164A8/164B IND TL BIBLOAD HARD SURFACE	19122	3874	152.5	
24	495/70 R24 155G TL XM47	88892	3883	152.9	
28	13.6 R28 123A8/120B TL AGRIBIB	87976	3893	153.3	39
24	500/70 -24 164A8 IND TL POWER CL	6567	3903	153.7	
24	440/80 R24 161A8/161B IND TL XMCL	34933	3907	153.8	
24	480/70 R24 138D TL OMNIBIB	25021	3916	154.2	
24	16.9 R24 134A8/131B TL AGRIBIB	97341	3935	154.9	
28	VF 520/60 R28 138D TL XEOBIB	80236	3942	155.2	40
24	440/80 -24 168A8 IND TL POWER CL	56443	3944	155.3	
28	480/65 R28 136D TL MULTIBIB	14369	3970	156.3	
24	540/70 R24 168A8/168B IND TL BIBLOAD HARD SURFACE	34928	3981	156.7	40
28	420/70 R28 133D TL OMNIBIB	25705	4012	158.0	40
24	540/70 R24 168A8/168B IND TL XMCL	58268	4026	158.5	40
28	14.9 R28 128A8/125B TL AGRIBIB	47219	4050	159.4	40
26	750/50 R26 157A8/151D TL MEGAXBIB	15686	4163	163.9	41
28	440/80 R28 163A8/163B IND TL BIBLOAD HARD SURFACE	49461	4188	164.9	
30	380/85 R30 135A8/135B TL AGRIBIB	18784	4194	165.1	41
28	VF 600/60 R28 146D TL XEOBIB	80297	4198	165.3	41
28	440/80 R28 156A8/156B IND TL XMCL	94482	4200	165.4	
26	480/80 R26 167A8/167B IND TL BIBLOAD HARD SURFACE	46166	4215	165.9	
28	440/80 -28 156A8 IND TL POWER CL	72331	4215	165.9	
28	480/70 R28 140D TL OMNIBIB	27084	4217	166.0	41
26	480/80 R26 160A8/160B IND TL XMCL	16032	4220	166.1	
28	540/65 R28 142D TL MULTIBIB	36062	4223	166.3	41
34	320/85 R34 133A8/130B TL AGRIBIB	73532	4239	166.9	41
28	16.9 R28 136A8/133B TL AGRIBIB	86531	4240	166.9	41
26	480/80 -26 160A8 IND TL POWER CL	6006	4272	168.2	
26	VF 520/80 R26 165A8 TL CEREXBIB	18058	4312	169.8	
30	540/65 R30 143D TL MULTIBIB	28553	4353	171.4	
36	12.4 R36 124A8/121B TL AGRIBIB	3338	4363	171.8	41
30	VF 600/60 R30 147D TL XEOBIB	3690	4379	172.4	42
30	480/70 R30 141D TL OMNIBIB	27236	4388	172.8	42
30	16.9 R30 137A8/134B TL AGRIBIB	41545	4395	173.0	42
26	VF 520/80 R26 CFO 168A8 TL CEREXBIB	61911	4397	173.1	
28	600/65 R28 154A8/154B TL MACHXBIB	86350	4415	173.8	42
26	VF 620/70 R26 170A8 TL CEREXBIB	18765	4416	173.9	42
26	600/65 R28 154D TL MACHXBIB	30734	4449	175.2	42
26	VF 620/70 R26 CFO 173A8 TL CEREXBIB	64298	4458	175.5	42
34	380/85 R34 137A8/137B TL AGRIBIB	59412	4461	175.6	42
26	620/70 R26 153A8/150B TL XM27	53054	4469	175.9	42
38	12.4 R38 125A8/122B TL AGRIBIB	50333	4481	176.4	42
30	710/55 R30 153D TL MACHXBIB	3784	4489	176.7	
30	320/85 R38 143A8/143B TL AGRIBIB RC	50528	4514	177.7	42
30	420/90 R30 147A8/147B TL AGRIBIB	68713	4556	179.4	42
30	18.4 R30 142A8/139B TL AGRIBIB	42060	4602	181.2	
34	540/65 R34 145D TL MULTIBIB	22243	4655	183.3	43
28	600/70 R28 157D TL MACHXBIB	4339	4663	183.6	
34	VF 420/85 R34 154A8/154B TL YELDBIB	58965	4682	184.3	43
34	VF 420/85 R34 154B TL YELDBIB	2870	4682	184.3	43
30	IF 600/70 R30 159D TL AXIOBIB	96393	4683	184.4	43
34	420/85 R34 142A8/142B TL AGRIBIB	84230	4690	184.6	43
28	600/70 R28 157A8/157B TL MACHXBIB	46139	4694	184.8	
34	VF 600/60 R34 149D TL XEOBIB	78329	4699	185.0	43
38	13.6 R38 128A8/125B TL AGRIBIB	66666	4705	185.2	43

Drive tires sorted by Rolling Circumference

Seat	Description	MSPN	Rolling Circumference		RCI
			mm	inches	
38	380/80 R38 142A8/142B TL AGRIBIB	30231	4709	185.4	43
38	380/80 R38 142A8/139D TL AGRIBIB	36989	4709	185.4	43
34	VF 380/85 R34 149A8/149B TL YELDBIB	91239	4714	185.6	43
34	480/70 R34 143D TL OMNIBIB	25021	4728	186.1	43
30	600/70 R30 152A8/152B TL MACHXBIB	68024	4738	186.5	43
30	600/70 R30 TL 152D MACHXBIB	76077	4745	186.8	43
26	620/75 R26 166A8/166B TL MEGAXBIB	89936	4748	186.9	43
34	420/85 R34 147A8/147B TL AGRIBIB	30127	4751	187.0	43
30	VF 620/70 R30 CFO 172A8 TL CEREXBIB	92780	4760	187.4	
26	VF 750/65 R26 CFO 177A8 TL CEREXBIB	2320	4780	188.2	
30	VF 520/85 R30 CFO 172A8 TL CEREXBIB	66188	4794	188.7	
26	750/65 R26 166A8/166B TL MEGAXBIB	91020	4811	189.4	
38	VF 380/80 R38 149A8/149B TL YELDBIB	35470	4851	191.0	43
34	520/70 R34 148D TL OMNIBIB	29601	4887	192.4	44
25	1000/50 R25 172A8/166D TL MEGAXBIB R1	27566	4896	192.8	
34	600/65 R34 151D TL MULTIBIB	16291	4897	192.8	44
42	320/90 R42 147A8/147B TL AGRIBIB RC	64720	4908	193.2	44
30	IF 620/75 R30 164D TL AXIOBIB	96772	4927	194.0	44
34	18.4 R34 144A8/141B TL AGRIBIB	40989	4933	194.2	44
34	IF 650/60 R34 165D TL AXIOBIB	94599	4933	194.2	
38	540/65 R38 147D TL MULTIBIB	28857	4965	195.5	44
38	420/85 R38 144A8/144B TL AGRIBIB	84239	4975	195.9	44
38	VF 600/60 R38 151D TL XEOBIB	80626	5023	197.8	44
34	IF 710/60 R34 164D TL AXIOBIB	67777	5030	198.0	
38	480/70 R38 145D TL OMNIBIB	28503	5030	198.0	44
38	380/95 R38 147A8/147B TL AGRIBIB	65207	5034	198.2	
38	VF 380/95 R38 154A8/154B TL YELDBIB	47225	5044	198.6	44
30	IF 650/75 R30 166D TL AXIOBIB	96826	5071	199.6	45
30	620/75 R30 168A8/168B TL MEGAXBIB	63928	5083	200.1	44
34	IF 650/65 R34 161D TL AXIOBIB	26241	5099	200.7	
38	VF 650/60 R38 155D TL XEOBIB	80851	5108	201.1	45
46	340/85 R46 150A8/150B TL AGRIBIB RC	94547	5227	205.8	45
38	600/65 R38 153D TL MULTIBIB	29767	5229	205.9	45
38	520/70 R38 150D TL OMNIBIB	28089	5229	205.9	45
38	18.4 R38 146A8/143B TL AGRIBIB	72676	5258	207.0	45
38	VF 710/60 R38 160D TL XEOBIB	81759	5356	210.9	46
38	650/65 R38 157D TL MULTIBIB	12871	5380	211.8	46
34	620/75 R34 170A8/170B TL MEGAXBIB	83734	5398	212.5	
32	650/75 R32 172A8/172B TL MEGAXBIB	46686	5423	213.5	45
32	800/65 R32 167A8/167B TL MEGAXBIB	97974	5438	214.1	46
38	580/70 R38 155D TL OMNIBIB	31198	5440	214.2	46
38	IF 650/65 R38 169D TL AXIOBIB	87017	5446	214.4	
32	800/65 R32 172A8/172B TL MEGAXBIB	79035	5459	214.9	46
38	20.8 R38 153A8/150B TL AGRIBIB	80390	5470	215.4	46
42	VF 480/80 R42 176D TL SPRAYBIB	13814	5471	215.4	46
38	IF 710/60 R38 172D TL AXIOBIB	69189	5486	216.0	
32	IF 800/65 R32 CFO 178A8 TL CEREXBIB	39571	5493	216.3	46
32	1050/50 R32 178A8/172D TL MEGAXBIB T2	4644	5504	216.7	46
32	1050/50 R32 184A8/184B TL MEGAXBIB T2	28613	5510	216.9	46
32	1050/50 R32 184A8/184B TL MEGAXBIB T2	28613	5510	216.9	46
32	680/75 R32 164A8/161B TL XM28	80305	5512	217.0	46
38	520/85 R38 155A8/155B TL AGRIBIB	43308	5529	217.7	46
46	VF 380/90 R46 173D TL SPRAYBIB	27358	5530	217.7	46
42	480/80 R42 156A8/156B TL AGRIBIB	3395	5538	218.0	46
50	320/90 R50 150A8/150B TL AGRIBIB RC	95098	5539	218.1	46
46	420/80 R46 151A8/148B TL AGRIBIB	58733	5555	218.7	46
38	620/70 R38 170A8/170B TL MEGAXBIB	99512	5557	218.8	46
46	380/90 R46 157A8/157B TL AGRIBIB RC	38865	5583	219.8	46

Seat	Description	MSPN	Rolling Circumference		RCI
			mm	inches	
32	900/60 R32 176A8/176B TL MEGAXBIB	59226	5614	221.0	46
34	710/75 R34 178A8/178B TL MEGAXBIB	13589	5637	221.9	47
32	1050/50 R32 178A8 TL MEGAXBIB M28	94737	5649	222.4	
42	VF 710/60 R42 161D TL XEOBIB	94391	5675	223.4	47
32	IF 680/85 R32 CFO 179A8 TL CEREXBIB	18128	5711	224.8	47
42	650/65 R42 158D TL MULTIBIB	38881	5722	225.3	47
32	800/70 R32 181A8/181B TL MEGAXBIB	68880	5725	225.4	
46	VF 480/80 R46 164A8/164B TL YELDBIB	10807	5732	225.7	47
46	VF 480/80 R46 164B TL YELDBIB	16134	5732	225.7	47
32	IF 1000/55 R32 CFO 188A8 TL CEREXBIB	22858	5758	226.7	
38	650/75 R38 169A8/169B TL MACHXBIB	86829	5761	226.8	47
42	520/85 R42 157A8/157B TL AGRIBIB	63687	5771	227.2	47
42	620/70 R42 160D TL OMNIBIB	31015	5781	227.6	47
42	520/85 R42 162A8/162B TL MEGAXBIB	15488	5783	227.7	47
32	IF 800/70 R32 CFO 182A8 TL CEREXBIB	18258	5788	227.9	
46	VF 480/80 R46 177D TL SPRAYBIB	21151	5790	228.0	47
38	710/70 R38 171A8/171B TL MACHXBIB	35929	5794	228.1	47
38	710/70 R38 171D TL MACHXBIB	30751	5804	228.5	47
42	VF 520/85 R42 CFO 188A8 TL CEREXBIB	78620	5807	228.6	47
50	380/90 R50 151A8/151B TL AGRIBIB RC	15852	5813	228.9	47
42	900/50 R42 168A8/168B TL MACHXBIB	71498	5815	228.9	47
42	900/50 R42 168D TL MACHXBIB	3779	5826	229.4	47
42	520/85 R42 162A8/162B TL MEGAXBIB	70243	5832	229.6	47
50	VF 380/90 R50 175D TL SPRAYBIB	28608	5836	229.8	47
54	320/90 R54 151A8/151B TL AGRIBIB RC	96185	5852	230.4	47
42	620/70 R42 166A8/166B TL MEGAXBIB	15145	5857	230.6	47
46	480/80 R46 158A8/158B TL AGRIBIB	94069	5874	231.3	47
38	IF 900/60 R38 CFO 184A8 TL CEREXBIB	14429	6017	236.9	48
38	IF 900/60 R38 CFO 188A8 TL CEREXBIB MI	3936	6017	236.9	48
50	VF 480/80 R50 166A8/166B TL YELDBIB	2098	6034	237.6	48
50	VF 480/80 R50 166B TL YELDBIB	2180	6034	237.6	48
38	IF 800/70 R38 CFO 184A8 TL CEREXBIB	39234	6072	239.1	48
42	580/85 R42 168A8/168B TL MEGAXBIB	39595	6072	239.1	48
38	IF 650/85 R38 179D TL AXIOBIB	97250	6078	239.3	48
38	IF 800/70 R38 CFO 187A8 TL CEREXBIB MI	24897	6079	239.3	48
46	520/85 R46 158A8/155B TL AGRIBIB	57479	6088	239.7	48
38	IF 800/70 R38 179D TL AXIOBIB	99142	6089	239.7	48
42	710/70 R42 173A8/173B TL MACHXBIB	36718	6089	239.7	48
38	650/85 R38 173A8/173B TL MACHXBIB	89462	6092	239.8	48
38	800/70 R 38 173D TL MACHXBIB	29390	6093	239.9	48
50	VF 480/80 R50 179D TL SPRAYBIB	50045	6101	240.2	48
38	800/70 R38 173A8/173B TL MACHXBIB	72379	6114	240.7	48
42	IF 710/70 R42 179D TL AXIOBIB	99783	6115	240.7	48
50	VF 420/95 R50 177D TL SPRAYBIB	82545	6118	240.9	48
46	620/70 R46 162A8/162B TL XM28	69879	6122	241.0	48
54	VF 380/90 R54 176D TL SPRAYBIB	47923	6131	241.4	48
50	480/80 R50 159A8/159B TL AGRIBIB	94576	6135	241.5	48
42	710/70 R42 173D TL MACHXBIB	31962	6195	243.9	48
42	IF 710/70 R42 CFO 182A8 TL CEREXBIB	61530	6230	245.3	
42	IF 900/60 R42 186D TL AXIOBIB	82481	6304	248.2	49
42	IF 900/60 R42 180D TL AXIOBIB	24652	6363	250.5	49
38	IF 710/85 R38 178D TL AXIOBIB	99013	6365	250.6	49
42	IF 710/75 R42 176D TL AXIOBIB	25479	6395	251.8	49
50	480/95 R50 164A8/164B TL AGRIBIB	54736	6484	255.3	
50	VF 480/95 R50 170A8/170B TL YELDBIB	65206	6661	262.2	49
46	IF 750/75 R46 186D TL AXIOBIB	7217	6819	268.5	50
46	IF 900/65 R46 190D TL AXIOBIB	36973	6888	271.2	50

