

TIRE SIZE INDEX

WHEEL DIAMETER	STANDARD SIZE	AGRIFLEX IF/VF	RADIAL					BIAS					
12	26X1200_12							312 pg. 50					
	9.5L_14							542 pg. 44					
14	11L_14SL							542 pg. 44					
	5.00_15			303 pg. 41									
15	6.5/80_15							324 pg. 38					
	6.70_15SL							542 pg. 44					
	7.60_15SL							542 pg. 44					
	9.5L_15							343 pg. 58					
	9.5L_15FI							543 pg. 45					
	11L_15	381 pg. 50						222 pg. 42	313 pg. 41				
	11L_15FI							319 pg. 42	543 pg. 45				
	11L_15SL							542 pg. 44					
	12.5L_15FI							543 pg. 45					
	12.5L_15SL							542 pg. 44					
	31X1550_15							221 pg. 51	312 pg. 50				
	33X1550_15							221 pg. 51					
15.3	10.0/75_15.3							317 pg. 70	320 VP pg. 43	323 pg. 66			
	11.5/80_15.3							317 pg. 70	320 VP pg. 43	323 pg. 66			
	12.5/80_15.3							320 VP pg. 43					
15.5	400/60_15.5							320 VP pg. 43	327 pg. 44	328 pg. 52-53	328 VP pg. 53		
	500/60_15.5							328 pg. 52-53					
16	5.50_16							303 pg. 41					
	6.00_16							303 pg. 41					
	6.50_16							302 pg. 71	324 pg. 38				
	7_16							TD45 pg. 38-39					
	7.50_16							303 pg. 41	323 pg. 66	324 pg. 38	542 pg. 44		
	8_16							TD45 pg. 38-39					
	8.25_16							324 pg. 38					

Wheel Diameter	Standard Size	Agriflex IF/VF		Radial					Bias				
16	9.00_16							303 pg. 41	542 pg. 44				
	9.5_16							TD45 pg. 38-39					
	10.00_16							303 pg. 41	313 pg. 41				
	10.5/65_16							320 VP pg. 43					
	11.00_16							303 pg. 41	313 pg. 41				
	11.00_16SL							542 pg. 44					
	12.4_16							316 pg. 40					
	13.0/55_16							320 VP pg. 43					
	13.0/75_16												
	14.0/65_16							327 pg. 44					
	200/70_16			370 pg. 61									
	240/70_16			370 pg. 61									
	250/75_16			550 pg. 64									
	250/80_16			550 pg. 64									
	260/70_16			370 pg. 61									
	280/70_16			370 pg. 61									
	320/65_16			370 pg. 61									
340/55_16							327 pg. 44						
16.1	13.5_16.1							329 pg. 40					
	14.5/75_16.1SL							239 pg. 43					
	14L_16.1							313 pg. 41					
	16.5L_16.1							802					
	16.5L_16.1SL							222 pg. 42					
	19L_16.1							542 pg. 44					
	21.5L_16.1							542 pg. 44					
	33X16LL_16.1							322 pg. 67					
16.5	10_16.5 (265/70_16.5)			550 pg. 64				903 pg. 66	906 pg. 67				
	12_16.5 (305/70_16.5)			550 pg. 64				903 pg. 66	906 pg. 67				
	340/60_16.5			381 pg. 50									

Wheel Diameter	Standard Size	Agriflex IF/VF	Radial					Bias					
16.5	380/55_16.5			381 pg. 50									

17	15.0/55_17							319	320 VP pg. 43	327 pg. 44	222 pg. 42		
	19.0/45_17							222 pg. 42	320 VP pg. 43	327 pg. 44			
	425/55_17			221 pg. 51									
	440/50_17			221 pg. 51									
	450/55_17							221 pg. 51					
	500/50_17			328 pg. 52-53	381 pg. 50			320 VP pg. 43	327 pg. 44				
	500/55_17							328 pg. 52-53					

17.5	14_17.5ML							239 pg. 43					
	400/55_17.5							328 pg. 52-53					

18	7.00_18							324 pg. 38					
	7.50_18							303 pg. 41					
	10.5_18 (280/80_18)			580 pg. 65				325 pg. 73					
	10.5_18MPT							317 pg. 70					
	10.5/80_18							317 pg. 70	320 VP pg. 43	321 pg. 69			
	12.0_18							317 pg. 70					
	12.0/75_18							317 pg. 70					
	12.5_18 (340/80_18)			550 pg. 64									
	12.5_18MPT							317 pg. 70					
	12.5/80_18 (335/80_18)			606 pg. 65	608 pg. 68	550 pg. 64		317 pg. 70	320 VP pg. 43	321 pg. 69			
	13.0/65_18												
	15.0/70_18												
	15.5/55_18 (385/55_18)			601 pg. 68									
	16/70_18 (405/70_18)			606 pg. 65	608 pg. 68			606 pg. 65	608 pg. 68				
	280/70_18			370 pg. 61									
	300/75_18												
	320/80_18							327 pg. 44					
	340/65_18			571 pg. 42									
	365/70_18			550 pg. 64	606 pg. 65	608 pg. 68							
	400/70_18			550 pg. 64									

Wheel Diameter	Standard Size	Agriflex IF/VF	Radial					Bias					
19	4.00_19							303 pg. 41					
	6.00_19							303 pg. 41					

19.5	18_19.5 (445/70_19.5)			624 pg. 65					224 pg. 72				
-------------	--------------------------	--	--	---------------	--	--	--	--	---------------	--	--	--	--

20	7.50_20								303 pg. 41				
	9.00_20								324 pg. 38				
	9.00_20ML								225 pg. 73				
	9.5_20								324 pg. 38				
	1000_20								839 pg. 68				
	10.00_20ML								225 pg. 73				
	10.5_20 (280/80_20)			580 pg. 65									
	10.5_20MPT								317 pg. 70				
	11.00_20								210 pg. 68				
	11.2_20 (280/85_20)			385 pg. 33									
	12.00_20								210 pg. 68	228 pg. 67			
	12.4_20 (320/85_20)			385 pg. 33	842 pg. 34								
	12.5_20 (335/80_20)			606 pg. 65									
	12.5_20MPT								225 pg. 73	317 pg. 70			
	12.5/80_20 (340/80_20)			580 pg. 65	550 pg. 64				325 pg. 73				
	14.00_20								228 pg. 67				
	14.5_20 (365/80_20)			606 pg. 65	608 pg. 68	580 pg. 65							
	14.5_20MPT								317 pg. 70				
	14.9L_20 (375/75_20)			387 pg. 28									
	16.0/70_20								320 VP pg. 43	327 pg. 44			
16.0/70_20 (405/70_20)			570 pg. 66	550 pg. 64	606 pg. 65	608 pg. 68		323 pg. 66	570 pg. 66	326 pg. 72	317 pg. 70		
20.00_20								222 pg. 42					
21.0/80_20								222 pg. 42					
38X18.00_20								331 pg. 54					
41X14.00_20								322 pg. 67					
42X25.00_20								328 pg. 52-53	331 pg. 54				
44X18.00_20								322 pg. 67					

Wheel Diameter	Standard Size	Agriflex IF/VF		Radial					Bias					
20	48X25.00_20								328 pg. 52-53	331 pg. 54				
	48X31.00_20								328 pg. 52-53	331 pg. 54				
	260/70_20			370 pg. 61										
	280/70_20			370 pg. 61										
	300/70_20			370 pg. 61	845 pg. 36									
	320/70_20			370 pg. 61	845 pg. 36									
	340/65_20			370 pg. 61										
	360/70_20			370 pg. 61	550 pg. 64									
	360/80_20			550 pg. 64										
	380/70_20								370 pg. 61					
	420/65_20			365 pg. 29										
	420/75_20			580 pg. 65										
	455/70_20			608 pg. 68										
	500/45_20									331 pg. 54				
	500/50_20									331 pg. 54				
	500/55_20									327 pg. 44				

22	9.5_22								324 pg. 38					
-----------	--------	--	--	--	--	--	--	--	---------------	--	--	--	--	--

22.5	18_22.5 (445/70_22.5)			624 pg. 65										
	385/65_22.5			882 pg. 48										
	400/55_22.5			382 pg. 50					328 pg. 52-53	328 VP pg. 53				
	400/60_22.5								328 pg. 52-53					
	445/65_22.5													
	500/45_22.5			390 pg. 49					328 pg. 52-53	328 VP pg. 53				
	500/60_22.5			388 pg. 48	390 pg. 49				328 pg. 52-53	328 VP pg. 53	331 pg. 54			
	550/45_22.5			380 pg. 51					328 pg. 52-53	328 VP pg. 53	331 pg. 54			
	550/60_22.5								222 pg. 42	328 pg. 52-53	331 pg. 54			
	560/45_22.5			380 pg. 51	381 pg. 50	390 pg. 49	882 pg. 48	885 pg. 48						
	560/60_22.5			380 pg. 51	390 pg. 49	885 pg. 48			327 pg. 44					
	580/65_22.5			380 pg. 51	390 pg. 49	885 pg. 48								
	600/40_22.5									331 pg. 54	344 pg. 60			

Wheel Diameter	Standard Size	Agriflex IF/VF		Radial					Bias					
22.5	600/45_22.5			331 pg. 54										
	600/50_22.5			380 pg. 51	382 pg. 50	388 pg. 48	390 pg. 49	885 pg. 48	328 pg. 52-53	331 pg. 54	343 pg. 58	344 pg. 60		
	600/55_22.5			380 pg. 51					222 pg. 42	328 pg. 52-53	331 pg. 54			
	620/40_22.5			380 pg. 51	381 pg. 50									
	620/50_22.5			381 pg. 50										
	650/50_22.5			380 pg. 51	885 pg. 48									
	700/40_22.5								328 pg. 52-53	331 pg. 54				
	700/50_22.5								328 pg. 52-53	331 pg. 54				
	710/40_22.5			381 pg. 50					343 pg. 58	344 pg. 60				
	710/45_22.5			885 pg. 48	388 pg. 48									
	750/45_22.5			380 pg. 51										
	800/35_22.5													

24	8.3_24								324 pg. 38					
	9.5_24 (230/95_24)			350 pg. 26					324 pg. 38					
	11.2_24 (280/85_24)			846 pg. 34					324 pg. 38	356 pg. 32	768 pg. 37			
	11.25_24								351 pg. 42					
	12.00_24ML								210 pg. 68					
	12.4_24 (320/85_24)			385 pg. 33	842 pg. 34				324 pg. 38	356 pg. 32	333 pg. 59			
	13.00_24								306 pg. 71	307 pg. 71				
	13.6_24 (340/85_24)			385 pg. 33	842 pg. 34				324 pg. 38	356 pg. 32				
	14.00_24			655 pg. 73					306 pg. 71	307 pg. 71				
	14.9_24								324 pg. 38	329 pg. 40	356 pg. 32	358 pg. 40	533 pg. 69	768 pg. 37
	14.9_24 (380/85_24)			385 pg. 33	842 pg. 34	550 pg. 64			333 pg. 59	325 pg. 73				
	15.5/80_24								324 pg. 38	533 pg. 69				
	16.00_24								306 pg. 71	310 pg. 67				
	16/70_24 (405/70_24)								326 pg. 72					
	16.5/85_24								358 pg. 40					
	16.9_24 (420/85_24)			385 pg. 33	842 pg. 34				324 pg. 38	329 pg. 40	533 pg. 69			
	17.5L_24 (460/70_24)			570 pg. 66	550 pg. 64	580 pg. 65			533 pg. 69	570 pg. 66				
	18.4_24								533 pg. 69					

Wheel Diameter	Standard Size	Agriflex IF/VF		Radial				Bias					
24	19.5L_24 (500/70_24)			570 pg. 66				533 pg. 69	550 pg. 64	580 pg. 65			
	20_24EM (22/70_24)							326 pg. 72					
	21L_24 (540/70_24)							533 pg. 69					
	250/85_24			846 pg. 34									
	300/80_24			550 pg. 64									
	320/70_24			370 pg. 61	845 pg. 36								
	340/80_24			550 pg. 64									
	360/70_24			370 pg. 61	845 pg. 36								
	360/80_24			550 pg. 64									
	380/70_24							370 pg. 61	845 pg. 36				
	405/70_24			580 pg. 65	606 pg. 65			323 pg. 66					
	420/65_24			550 pg. 64									
	420/70_24			370 pg. 61	845 pg. 36			370 pg. 61					
	440/65_24			365 pg. 29									
	440/80_24			550 pg. 64	580 pg. 65			325 pg. 73					
	455/70_24			606 pg. 65									
	445/70_24MPT			570 pg. 66									
	460/65_24			550 pg. 64									
	480/65_24			360 pg. 28	550 pg. 64			360 pg. 28					
	480/70_24			370 pg. 61									
495/70_24MPT			570 pg. 66										
500/85_24							570 pg. 66						
540/65_24			365 pg. 29	550 pg. 64									

24.5	650/45_24.5			342 pg. 58				343 pg. 58					
	710/40_24.5			342 pg. 58				343 pg. 58					

25	15.5_25			600 pg. 72	655 pg. 73			302 pg. 71	307 pg. 71	308 pg. 71			
	16.00_25 (445/95_25)			630 pg. 72				309 pg. 72	310 pg. 67				
	17.5_25			600 pg. 72	655 pg. 73	690 pg. 69		306 pg. 71	307 pg. 71	308 pg. 71	318 pg. 70		
	18.00_25							318 pg. 70					
	20.5_25			655 pg. 73				307 pg. 71	308 pg. 71	318 pg. 70			

Wheel Diameter	Standard Size	Agriflex IF/VF		Radial					Bias					
25	23.5_25								318 pg. 70					
	26.5_25								318 pg. 70					
	29.5_25								318 pg. 70					
	54X37.00_25								344 pg. 60					
	66X43.00_25								331 pg. 54					
	1000/50_25				375 pg. 29									

26	14.9_26													
	16.9_26				356 pg. 32									
	18.4_26				356 pg. 32				324 pg. 38	329 pg. 40	345 pg. 29	356 pg. 32	533 pg. 69	
	18.4_26 (480/80_26)				580 pg. 65	550 pg. 64								
	23.1_26 (620/75_26)				390 pg. 49	360 pg. 28	375 pg. 29		329 pg. 40	330 pg. 41	345 pg. 29	347 pg. 37	349 pg. 37	
	28L_26 (750/65_26)				390 pg. 49	360 pg. 28			329 pg. 40	330 pg. 41	345 pg. 29	349 pg. 37		
	620/70_26	372 pg. 31			370 pg. 61									
	710/65_26				390 pg. 49									
	750/50_26				376 pg. 31									

26.5	500/60_26.5								331 pg. 54					
	600/50_26.5													
	600/55_26.5				342 pg. 58	380 pg. 51	388 pg. 48	390 pg. 49	885 pg. 48	328 pg. 52-53	331 pg. 54	343 pg. 58	344 pg. 60	
	620/55_26.5				381 pg. 50									
	650/55_26.5	389			380 pg. 51	390 pg. 49	885 pg. 48							
	650/60_26.5				380 pg. 51									
	650/65_26.5				380 pg. 51	388 pg. 48	885 pg. 48		343 pg. 58	344 pg. 60				
	700/40_26.5								331 pg. 54					
	700/50_26.5								328 pg. 52-53	331 pg. 54	344 pg. 60			
	710/45_26.5				342 pg. 58				343 pg. 58	344 pg. 60				
	710/50_26.5				380 pg. 51	381 pg. 50	390 pg. 49	885 pg. 48						
	710/60_26.5								344 pg. 60					
	750/45_26.5				380 pg. 51	885 pg. 48								
	750/55_26.5				344 pg. 60	388 pg. 48			343 pg. 58	344 pg. 60				
	800/40_26.5				344 pg. 60				343 pg. 58	344 pg. 60				

Wheel Diameter	Standard Size	Agriflex IF/VF		Radial				Bias					
26.5	800/45_26.5			381 pg. 50	390 pg. 49			328 pg. 52-53	331 pg. 54				
	850/45_26.5							343 pg. 58					
	870/45_26.5							344 pg. 60					

28	8.3_28							324 pg. 38					
	9.5_28 (230/95_28)			350 pg. 26									
	11.2_28 (280/85_28)			846 pg. 34				324 pg. 38					
	11.25_28							351 pg. 42					
	12.4_28 (320/85_28)			842 pg. 34				324 pg. 38					
	13.6_28 (340/85_28)			842 pg. 34				324 pg. 38	329 pg. 40	356 pg. 32			
	14.9_28 (380/85_28)			385 pg. 33	842 pg. 34			302 pg. 71	324 pg. 38	356 pg. 32	333 pg. 59		
	16.5/85_28							324 pg. 38					
	16.9_28 (420/85_28)	372 pg. 31		385 pg. 33	842 pg. 34			333 pg. 59	302 pg. 71	324 pg. 38	356 pg. 32	533 pg. 69	
	18.4_28							304 pg. 39	533 pg. 69				
	19.5L_28 (480/70_28)			370 pg. 61									
	250/85_28			846 pg. 34									
	320/70_28			845 pg. 36									
	360/70_28			370 pg. 61	845 pg. 36								
	380/70_28			370 pg. 61	845 pg. 36			370 pg. 61					
	400/80_28			550 pg. 64									
	420/70_28			370 pg. 61	845 pg. 36			370 pg. 61					
	440/80_28			550 pg. 64	580 pg. 65								
	480/65_28			365 pg. 29	550 pg. 64			360 pg. 28					
	480/70_28			845 pg. 36				370 pg. 61					
	500/70_28							580 pg. 65					
	540/65_28			365 pg. 29	550 pg. 64			360 pg. 28					
	600/60_28	372 pg. 31		342 pg. 58									
600/65_28	365 pg. 29	372 pg. 31	360 pg. 28				360 pg. 28						
600/70_28	372 pg. 31		370 pg. 61	845 pg. 36									

30	14.9_30 (380/85_30)			842 pg. 34				324 pg. 38	356 pg. 32				
	16.9_30 (420/85_30)			385 pg. 33	842 pg. 34			324 pg. 38	345 pg. 29	356 pg. 32	533 pg. 69	333 pg. 59	

Wheel Diameter	Standard Size	Agriflex IF/VF		Radial				Bias					
30	18.4_30 (460/85_30)			842 pg. 34				324 pg. 38	345 pg. 29	356 pg. 32	333 pg. 59		
	19.5L_30 (480/70_30)			845 pg. 36	370 pg. 61								
	19.5_30 (500/85_30)							570 pg. 66					
	23.1_30							347 pg. 37					
	420/70_30			845 pg. 36									
	420/90_30			842 pg. 34									
	440/80_30			550 pg. 64									
	480/80_30			550 pg. 64									
	520/70_30							845 pg. 36					
	540/65_30			365 pg. 29	550 pg. 64			360 pg. 28					
	540/70_30							360 pg. 28					
	600/60_30	372 pg. 31											
	600/65_30			365 pg. 29									
	600/70_30	372 pg. 31		370 pg. 61	550 pg. 64								
	620/70_30			570 pg. 66									
	620/75_30			378 pg. 32									
	650/75_30	372 pg. 31											
	710/55_30			378 pg. 32									
710/60_30			378 pg. 32										

30.5	600/60_30.5			390 pg. 49				331 pg. 54					
	650/60_30.5							328 pg. 52-53					
	650/65_30.5			380 pg. 51									
	700/50_30.5							331 pg. 54					
	710/50_30.5			331 pg. 54	390 pg. 49								
	750/60_30.5			380 pg. 51	390 pg. 49	885 pg. 48		328 pg. 52-53					
	800/45_30.5							328 pg. 52-53	331 pg. 54				
	850/50_30.5			390 pg. 49				328 pg. 52-53					

32	8.3_32			350 pg. 26									
	9.5_32 (230/95_32)			350 pg. 26				324 pg. 38					
	11.2_32 (270/95_32)			350 pg. 26									

Wheel Diameter	Standard Size	Agriflex IF/VF		Radial				Bias						
32	12.4_32 (320/85_32)			842 pg. 34										
	12.4_32							324 pg. 38						
	24.5_32 (650/75_32)			330 pg. 41	360 pg. 28	375 pg. 29		345 pg. 29	347 pg. 37					
	30.5L_32 (800/65_32)	372 pg. 31	375 pg. 29	360 pg. 28	390 pg. 49	380 pg. 51		345 pg. 29	349 pg. 37					
	35.5L_32 (900/60_32)	372 pg. 31		376 pg. 31	393 pg. 49			345 pg. 29						
	680/85_32			376 pg. 31										
	800/70_32	372 pg. 31		375 pg. 29										
	900/75_32			375 pg. 29										
	1050/50_32			375 pg. 29	376 pg. 31									

34	14.9_34 (380/85_34)			385 pg. 33	842 pg. 34									
	16.9_34 (420/85_34)			385 pg. 33	842 pg. 34			324 pg. 38	356 pg. 32	333 pg. 59				
	18.4_34 (460/85_34)	354 pg. 27		385 pg. 33	842 pg. 34	550 pg. 64		324 pg. 38	345 pg. 29	333 pg. 59				
	23.1_34							347 pg. 37						
	320/85_34													
	440/80_34			550 pg. 64										
	480/70_34			370 pg. 61	845 pg. 36			370 pg. 61						
	520/70_34			845 pg. 36	370 pg. 61									
	600/65_34	372 pg. 31		342 pg. 58	365 pg. 29	388 pg. 48		346 pg. 59						
	600/70_34			378 pg. 32										
	620/75_34			375 pg. 29										
	650/60_34			388 pg. 48										
	700/55_34							346 pg. 59						
	700/70_34							346 pg. 59						
	710/55_34			388 pg. 48										
	710/60_34			378 pg. 32										
	710/75_34			375 pg. 29										
	800/50_34			388 pg. 48										
	850/45_34			388 pg. 48										

36	8.3_36			350 pg. 26										
	9.5_36 (230/95_36)			350 pg. 26				324 pg. 38						

Wheel Diameter	Standard Size	Agriflex IF/VF		Radial				Bias					
36	11.2_36 (270/95_36)			350 pg. 26									
	12.4_36 (320/85_36)			842 pg. 34					324 pg. 38				
	13.6_36 (340/85_36)			842 pg. 34					304 pg. 39				

38	11.2_38 (270/95_38)			350 pg. 26					768 pg. 37				
	12.4_38 (320/85_38)			842 pg. 34					304 pg. 39				
	13.6_38 (340/85_38)			842 pg. 34	356 pg. 32				304 pg. 39	357 pg. 40			
	14.9_38 (380/80_38)	354 pg. 27		842 pg. 34	385 pg. 33				304 pg. 39				
	15.5_38 (400/75_38)			356 pg. 32					324 pg. 38				
	16.9_38 (420/85_38)			385 pg. 33	842 pg. 34				324 pg. 38	347 pg. 37	356 pg. 32	333 pg. 59	
	18.4_38 (460/85_38)			385 pg. 33	842 pg. 34				324 pg. 38	347 pg. 37	356 pg. 32	357 pg. 40	333 pg. 59
	20.8_38 (520/85_38)	372 pg. 31		385 pg. 33	842 pg. 34	550 pg. 64			347 pg. 37	333 pg. 59			
	380/95_38	354 pg. 27											
	480/70_38			370 pg. 61	845 pg. 36				370 pg. 61				
	480/80_38			550 pg. 64									
	520/70_38			370 pg. 61									
	520/70_38								370 pg. 61	845 pg. 36			
	540/65_38			360 pg. 28	365 pg. 29				360 pg. 28				
	580/70_38								370 pg. 61				
	580/70_38			370 pg. 61									
	600/65_38								360 pg. 28				
	600/65_38			365 pg. 29	550 pg. 64								
	650/65_38			342 pg. 58	360 pg. 28	365 pg. 29	550 pg. 64						
	650/75_38			378 pg. 32									
	650/85_38			385 pg. 33	550 pg. 64								
	710/60_38	372 pg. 31											
	710/70_38			360 pg. 28	365 pg. 29	845 pg. 36							
	710/85_38	372 pg. 31											
	800/70_38	372 pg. 31		370 pg. 61									
	900/55_38			378 pg. 32									
	900/60_38	372 pg. 31											

Wheel Diameter	Standard Size	Agriflex IF/VF		Radial				Bias					
40	9.5_40 (230/95_40)			350 pg. 26									

42	9.5_42 (230/95_42)			350 pg. 26									
	11.2_42 (270/95_42)			350 pg. 26									
	18.4_42 (480/80_42)			842 pg. 34	356 pg. 32								
	20.8_42 (520/85_42)	372 pg. 31		385 pg. 33	842 pg. 34								
	320/80_42			842 pg. 34									
	320/90_42			842 pg. 34									
	580/70_42			370 pg. 61									
	580/85_42	372 pg. 31											
	620/70_42			360 pg. 28									
	620/80_42			550 pg. 64									
	650/65_42			360 pg. 28	365 pg. 29	550 pg. 64							
	710/60_42	372 pg. 31											
	710/70_42	372 pg. 31		365 pg. 29	550 pg. 64	845 pg. 36							
	710/75_42	372 pg. 31		378 pg. 32									
	900/50_42			378 pg. 32									
900/60_42			378 pg. 32										

44	8.3_44			350 pg. 26									
	9.5_44 (230/95_44)			350 pg. 26									
	11.2_44 (270/95_44)			350 pg. 26									

46	11.2_46 (270/95_46)			350 pg. 26									
	12.4_46 (320/90_46)	354 pg. 27		842 pg. 34				350 pg. 26					
	14.9_46 (380/90_46)	354 pg. 27	363 pg. 27	842 pg. 34	350 pg. 26								
	16.9_46 (420/80_46)			385 pg. 33									
	18.4_46 (480/80_46)			385 pg. 33	842 pg. 34	356 pg. 32							
	20.8_46 (520/85_46)	354 pg. 27		375 pg. 29	842 pg. 34								
	320/105_46	354 pg. 27											
	340/85_46			350 pg. 26									

Wheel Diameter	Standard Size	Agriflex IF/VF	Radial						Bias					
46	380/105_46			350 pg. 26										
	620/70_46			376 pg. 31										
48	9.5_48 (230/95_48)	363 pg. 27		350 pg. 26										
	11.2_48 (270/95_48)	363 pg. 27		350 pg. 26										
	13.6_48 (340/85_48)	354 pg. 27		350 pg. 26										
50	12.4_50 (320/90_50)	354 pg. 27							350 pg. 26					
	14.9_50 (380/90_50)	354 pg. 27		350 pg. 26										
	18.4_50 (480/80_50)	354 pg. 27	363 pg. 27	385 pg. 33										
	320/105_50	354 pg. 27												
	380/105_50	354 pg. 27		350 pg. 26										
	480/95_50	354 pg. 27												
52	12.4_52 (300/95_52)								350 pg. 26					
54	11.2_54 (270/95_54)	363 pg. 27		350 pg. 26										
	12.4_54 (320/90_54)	354 pg. 27							350 pg. 26					
	14.9_54 (380/90_54)	354 pg. 27		350 pg. 26										
	230/115_54	354 pg. 27												
	320/105_54	354 pg. 27												